


Task 2:


Given below are some figures. Find the area of each and complete the given table.

Figure	Area in Sq Units
I	5 Sq. units
II	6.5 sq. units
III	13.5 sq. units
IV	7.5 sq. units
V	16.5



Task 3: Some more figures!

a) Find the area of the following figures.



Also, count the number of grid-points on the boundary of each figure, and fill the table below.

Figures	Area in Square Units	Number of grid-points on the boundary (B)
I	3	6
II	6	8
III	3	6
IV	3	5
V	8	10

$\frac{1}{2} \times 2 \times 3 = 3$
 $\frac{1}{2} \times 2 \times 2 = 2$

$\frac{\text{area} \times 2}{12}$

$\frac{1}{2} \times 2 \times 4 = 4$

$\frac{1}{2} \times 2 \times 4 = 4$

$\frac{1}{2} \times 6 \times 2 = 6$
 $\frac{1}{2} \times 2 \times 2 = 2$

$4 \times 2 = 8$

$8 - 6 = 2$

$\frac{1}{2} \times 2 \times 2 = 1$

$\frac{1}{2} \times 2 \times 4 = 4$
 $8 + 4 = 12$
 $12 - 1 = 11$

Do you see any relation between the area of the triangle and the number of grid-points on its boundary? YES

c) Does the same relation hold for figures I to V in Task 2? If not, for which ones does the relation hold? NO, 1, 4

i) The relation holds for figures 1, 4. (Write the number of the figure.)

ii) The relation does not hold for figures 2, 3, 5. (Write the number of the figure.)

Task 4: Finding the expression!

a) In Task 3c), how are the figures in i) different from the figures in ii)? What property distinguishes figures in i) from figures in ii)?

Figure 1 is a right angle and figure 2 is an isosceles triangle

b) How would you modify the relation in Task 3b) such that it holds for all figures?

YES

Task 5: Making some more figures

Draw five more figures on the grid provided below and check if the relation holds for these figures as well. Are you sure that it will hold for any figure that you may draw? What are the properties common to the figures for which this relation holds?


6: Special cases!

Some special polygons:

In the upcoming calculations, we are going to look at some very special type of quadrilaterals, namely straight squares, and rectangles.

What do we mean by straight squares or rectangles?

Look at the rectangles given below:



Handwritten notes:

$4 = 3 = 3$
 $B = 8$
 $A = 6$
 $3 = 3 = 3$
 $B = 8$
 $A = 8$

In the figure: We will call rectangles 1, 2, and 3 as straight rectangles and rectangles 4, 5 and 6 as slanted rectangles. Note that Rectangle 2 is also a straight square and Rectangle 5 is a slanted square.

a) For a straight square of side m units

The number of grid-points in the interior (I) is 1

The number of grid-points on the boundary (B) is 8 ← 2

$I + \frac{B}{2} - 1 = \underline{4}$

How is the expression $I + \frac{B}{2} - 1$ related to the expression for the area of the square?

Handwritten notes:

$1+8-1$
 $3+8-1$
 $4+8-1$
 $5+8-1$
 $6+8-1$
 $7+8-1$
 $8+8-1$

b) For a straight rectangle of length m units and breadth n units,

The number of grid-points in the interior (I) = 3 ← 1

The number of grid-points on the boundary (B) = 12

$I + \frac{B}{2} - 1 = \underline{8}$

How is the expression $I + \frac{B}{2} - 1$ related to the expression for the area of the rectangle?

Handwritten notes:

$1+6-1$
 $3+12-1$
 $3+6-1$

For figure A, with I grid-points in its interior and B grid-points on its boundary, let us call

$$I + \frac{B}{2} - 1 \text{ as Pick(A).}$$

Then for a straight rectangle and a straight square, we saw that

$$\text{Pick(A)} = \text{Area(A)}$$

This is called Pick's Theorem applied to a straight square or a rectangle.

So, we have proved Pick's theorem for a very special class of figures namely straight squares and straight rectangles. We now will go on to see if Pick's Theorem is true for all figures on the grid paper. But before that, let us go back to Task 1!


c) Complete Task 1.

Task 7: What about any polygons?

We have proved that Pick's theorem holds for any straight square or any straight rectangle. But what about any polygon? In the following tasks, we will look at more such special cases and go on to prove Pick's theorem for any grid polygon.

Look at the given pentagon.

a) Can you divide this pentagon into non-overlapping triangles, such that the sum of the area of all triangles is equal to the area of the pentagon? (Remember: All the vertices of each triangle should be vertices of the polygon)



How many triangles did you get?

b) Draw more polygons on your grid paper and find how many such triangles you get for each of the polygons.

We saw that any polygon can be divided into triangles. So, to prove that Pick's theorem holds for any polygon, we need to prove 2 things

1) Pick's Theorem holds for any triangle,

$\frac{1}{2} \times 4 \times 3 = 6 + 3 + 3.5$

$\frac{1}{2} \times 2 \times 3 = 3$
 $\frac{1}{2} \times 4 \times 3 = 6$
 $\frac{1}{2} \times 1 \times 1 = 0.5$
 $\frac{1}{2} \times 1 \times 2 = 1$
 $6 + 3 + 1 + 0.5 = 10.5$

12.5

$3 + 3.5 - 1 = 5.5$

$3 + 4.5 - 1 = 6.5$

$4.5 - 1 = 3.5$

9.5

$\frac{1}{2} \times 4 \times 3$

$6 + 0.5 + 3$

$6 + 3 + 1 + 0.5$


+ 1

When two shapes for which the theorem holds, it also holds for the shape formed by joining these two shapes edge-to-edge without overlap. Then we can say that Pick's theorem holds for all polygons.

Task 8: Joining and counting!

If we put together two figures, say figure P and figure Q, in such a way that they share a boundary, and form the figure R, then we know that,

$$\text{Area of (R)} = \text{Area (P)} + \text{Area (Q)}$$



Let $I_P, I_Q,$ and I_R be the number of grid-points in the interior of P, Q, and R respectively and $B_P, B_Q,$ and B_R be the number of grid points in the boundary of P, Q, and R respectively.

Now, let us count I_R and B_R in terms of $I_P, I_Q, B_P,$ and B_Q .

Let c be the number of grid points on the common boundary of P and Q.

Now how are the number of grid-points in the boundary of R related to those in the boundary of P and Q?

- a) Can you come up with an expression for I_R and B_R in terms of $I_P, I_Q, B_P,$ and B_Q ?

$I_R = I_P + I_Q + \underline{\quad} - \underline{\quad}$, (Fill in the blanks) (1)

$B_R = B_P + B_Q - \underline{\quad} + \underline{\quad}$ (Fill in the blanks) (2)









(Hint: Remember the number of points of the common boundary, c will play an important role in this)

Now, if we assume that Pick's Theorem holds for P and Q, then what do we get?

Area (P) = Pick (P) = _____

Area (Q) = Pick (Q) = _____

Handwritten notes and calculations: $11+6-1=17-1$, $3+8-1=10$, $11+6-1=15-1$, $13+2=15$, $14+13-1=27-1$, 22.5 , 19.5 .



Task-7

Task-7