## What the Moths Taught Us

## Part 1: A Game

In the first part of this activity, your teacher will explain and play a game with you. The game requires counting some results. Enter these into the table below.

	Number of chits on the board			Percent Remaining	
	Dark (D)	Light (L)	Total	Dark (D)	Light (L)
Start	50	50	1.60	100	100
After Round 1	50	46	96	100	92
After Round 2	47	45	92	99	30
After Round 3	46	42	88	92	84
After Round 4	44	40	84	88	80
After Round 5	42	38	81	84	76
After Round 6	40	36	76	80	72
After Round 7	40	32	72	80	64

In this activity, we will:

- 1. Learn about a real-world phenomenon that was similar to the game that you played
- 2. Analyse the results from your game, by doing some calculations and drawing some graphs
- 3. Think about how colour change can occur in groups and individuals
- 4. Discuss whether games and simulations can be used to learn about the real world
- 5. Try and come up with possible alternative explanations for the real-world phenomenon, and thus learn a little bit about how scientists have disagreements

## Part 2: Kettlewell's Problem

Henry Bernard Davis Kettlewell was a biologist in Oxford University. He was interested in studying peppered (spotted) moths. These moths had two types of wing coloration – light and dark.






Figure 1: Light-winged (left) and dark-winged (right) peppered moths.

Until the year 1848, the number of light-winged moths was very large, making up 99% of the total moth population in the forest. However, over the course of the next 100 years, the population of the light-winged moths reduced to a mere 5% of the total moth population, whereas the darkwinged moths now represented 95% of the moth population. Dark-winged moths tended to outnumber the light-winged ones particularly near the industrial cities. Kettlewell wanted to understand why the proportion of dark-winged moths near industrial cities had changed in this way.

Kettlewell knew that peppered moths were prey to many insect-eating birds. It was also known that the moths rested on tree-trunks with their wings open. Kettlewell thought that the wings could camouflage with the background (i.e., hide from sight due to similarity) and would provide the moth some protection against predatory birds. Thus, in the past, when the tree bark and lichen growing on them was light-coloured, moths with light-colored wings were camouflaged, but those with dark wings were more likely to be visible to predators. However, in industrialised areas coal was burnt to generate power. Smoke from the burning coal killed lichens and caused the trees to darken with soot. According to Kettlewell, the light-coloured moths became noticeable against a dark background and thus became an easier prey for birds.

The phenomenon of change in colour of the moth population was called **industrial melanism**. In the term "industrial melanism", melanism originates from the word melanin. Melanin is the pigment responsible for human skin colour, and an increase in melanin leads to darker colour. Since the dark-winged moths had increased in proportion near industrial cities, the term "industrial melanism" was used to describe the change.

©Homi Bhabha Centre for Science Education, December 2019

By Chiswick Chap - Self-published work by Chiswick Chap, CC BY-SA 3.0, https://commons.wikimedia.org/w/index.php?curid=868091

<sup>2</sup> By Chiswick Chap - Self-published work by Chiswick Chap, CC BY-SA 3.0, https://commons.wikimedia.org/w/index.php?curid=880130

## Questions

**Question 1** 

What are the similarities and differences between the game you played and the problem that Kettlewell was dealing with?

& Saarroy tree and see then disheren doing reproduction. Quantitative Analysis

Question 2

Each group of students is likely to have started with a different number of dark and light chits. At the end of the game, both dark and light chits would have decreased. Use the data you gathered while playing the game and fill in the table below.

Decrease between first and last round	Dark chits	Light chits
Actual numbers	first round .40	1851 round = 32
Percentage	lost round	goto lost round = 649

Now compare your results with those obtained by your classmates in other groups. Did the other groups get different results from yours? Which group of students saw the greatest decrease for each of the values?

get different result. Yes, in every

For the information above, is it better to compare the groups using whole numbers or percentages? Why?

It is better to compase not equal are

Question 4

Draw a graph showing the number of dark and light chits left behind on the board after each round. Looking at your graph, what do you think will happen to the number of dark and light chits if the game is played further? Why?

chits will decrease and clark chits w because we can

©Homi Bhabha Centre for Science Education, December 2019

# Group and individual colouration

Let's think about how the colour of the "moths" changed in the game.

Question 5

Think of each moth separately. Did the colour of the individual moths change? (YAM)

Question 6

Now, think of the moths together, as a group. Did the colour of the group of moths change?

Question / (yes", then why or how do you think the change occurred?

It was because all

Based on the game, do you think the colour of individuals needs to change in order for the colour

of a group to change? Why?

# Learning about the real world using simulations

We played the game and used it to come to some kind of understanding about Kettlewell's problem. We also drew some conclusions about the moths based on our game. Which of these conclusions would hold in the real world? Which of the conclusions would not?

this was in real world

## Part 3: Kettlewell's data and other scientists' disagreement

Kettlewell thought that there might be fewer light-winged moths near industrial areas, because white-winged moths would be more easily visible to predator birds. But he needed to test this guess using an experiment. To do so, he **marked** the underside of the wings of some moths and **released** them at sundown in a polluted forest near the city of Birmingham in England. In the following week, every evening, the marked moths were **recaptured** using various traps. Such an experiment is called a mark-release-recapture experiment. The following table represents the number of moths recaptured:

	Polluted Forest (Birmingham)
Light Wings	18/137
Dark Wings	136/493

The numbers in the table indicate the number of moths recaptured out of the number of moths marked and released. For example, 18/137 indicates that out of 137 moths marked and released, 18 were recaptured.

Calculate the percentage of light and dark-winged moths that were recaptured:

## Questions

Which type of moth was more likely to be recaptured?  Which type of moth was more likely to be recaptured?  Dork wings moth was more likely to be recaptured?  Question 2  Look at the percentages that you calculated in your game. Were they similar to those found by	Percentage of light-winged moths that were recaptured: 13.13	
Which type of moth was more likely to be recaptured?  Dark wings moth was more likely to be recaptured  Ouestion 2  Ouestion 2	Percentage of dark-winged moths that were recaptured: 27.58	
Ouestion 2  Ouestion 2  Ouestion 2	Which type of moth was more likely to be recaptured?  Dark wings moth was more likely to	pe recaptured
hunot?	Ouestion 2 Ouestion 2 Calculated in your game. Were they similar	to those found by

Question 3
What do you think happened to the moths that were not recaptured?

They may be Killed by pollution if the moths that were not recaptured?

They may be Killed by pollution if the moths that were not recaptured?


Selection 3

What do you think happened to the moths that were not recaptured?

They may be Killed by pollution if the moths that were not recaptured?

### Question 4

Kettlewell's fellow scientists were not convinced by some parts of what he was saying about the moths. They agreed with some of Kettlewell's points, but disagreed with some other points. The reasoning by these two groups are represented by empty boxes in *Other Biologists'* column shown below:



The other scientists thought that there could be other reasons why fewer white moths survived. What line of reasoning can you think of that leads to the same result – survival of fewer white moths?

The	other	scientists	thought	that th	ice ce de
bluos	be of	nes beason	fewer	white	moths
SULV					

### Question 5

What experiments could Kettlewell have conducted to convince his scientist colleagues that he was right?

There are moths on the trees,	Birds prey as
the moths, Birds are able to	see white mothsore
more dearly is Birds prespondre	on the moths which
they see edearly !!	

©Homi Bhabha Centre for Science Education, December 2019